

PDEOZE PowerContainer

395wp monocrystalline silicon solar module parameters



Overview

Rated power: 395 W, Voltage at maximum power (V_{mp}): 41.07 V, Current at maximum power (I_{mp}): 9.62 A. Solar cell type: Monocrystalline silicon, Product colour: Black, Housing material: Aluminium. Width: 1002 mm, Depth: 40 mm, Height: 2008 mm

395wp monocrystalline silicon solar module parameters

Certified to withstand: wind load (2400 Pascal) and snow load (5400 Pascal). The company reserves the final right for explanation on any of the information presented hereby. TR JKM375 ...

The specifications are obtained under the standard test conditions: 1000W/m² solar irradiance, 1.5 Air Mass and cell temperature of 25°C. Measurement uncertainty for all panels is 3%.

Collector E-PVT2,0v2_395Wp - is a combination of a flat solar collector and a photovoltaic module with monocrystalline silicon cell with a power of 395W.

Hyundai Heavy Industries started its solar business in 2005 with production centers in Eumseong, Chungcheongbuk-do (province), as part of a plan to bring new business to the table.

Key details include: 1) The module has a maximum power output of 395W with a positive power tolerance of 0-5W and maximum efficiency of 20.5%. 2) It has an outstanding visual ...

Small in size, big on power Generates up to 395 W, 20.5 % module efficiency with high density interconnect technology

Installation Safety Guide Only qualified personnel should install or perform maintenance. Be aware of dangerous high DC voltage. Do not damage or scratch the rear surface of the ...

Detailed profile including pictures, certification details and manufacturer PDF.

Rated power: 395 W, Voltage at maximum power (V_{mp}): 41.07 V, Current at maximum power (I_{mp}): 9.62 A. Solar cell type: Monocrystalline silicon, Product colour: Black, ...

Hyundai Heavy Industries started its solar business in 2005 with production centers in Eumseong, Chungcheongbuk-do (province), as part of a plan to bring new business to the table.

Powered by high-efficiency PERCIUM cells, this series of high-performance modules provides the most cost-effective solution for lowering the LCOE of any PV systems large or small. ...

Key details include: 1) The module has a maximum power output of 395W with a positive power tolerance of 0-5W and maximum efficiency of 20.5%. 2) It has an outstanding visual appearance with ultra-thin virtually invisible ...

Detailed profile including pictures, certification details and manufacturer PDF.

Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://pdeozepv.pl>