



## **PDEOZE PowerContainer**

# **Voltage reconstruction in inverter**



## Overview

---

What is the current reconstruction method for two-level three-phase inverters?

A different current reconstruction method was studied for two-level three-phase inverters in . The authors suggested the current reconstruction strategy based on online offset compensation. This method is applied for two-level three-phase inverters, and it is also appropriate for operations with a low modulation index.

Can a three-phase inverter be reconstructed using a single shunt method?

Different aspects of using the single-shunt reconstruction method for three-phase inverters were discussed in [7, 8, 9], where the authors studied the zero voltage sampling method and three-phase current reconstruction using three shunts placed in the collectors of bottom inverter transistors, respectively.

Can a three-level inverter operate a single-shunt current reconstruction?

The three-level inverter operation with a modulation index less than 0.2 is achievable, and single-shunt current reconstruction is possible to perform. The proposed method can be used as part of a hybrid solution, together with the SVM shift method. As a disadvantage, due to the asymmetric SVM pattern, the current ripple increased.

Does neutral point voltage offset reduce asymmetry in inverter topology reconstruction?

Aiming at the three-phase current asymmetry caused by the neutral point voltage oscillation in inverter topology reconstruction, a transient compensation method of neutral point voltage offset for the  $\alpha$ -axis component of the reference voltage vector is introduced to suppress the adverse effects.

Are two-level three-phase voltage source inverters fault-tolerant?

The fault-tolerant control of two-level three-phase voltage source inverters has

been extensively studied 1, 2, 3, including two reconstruction aspects: hardware topology and software control strategy. Various fault-tolerant reconfiguration topologies of three-phase voltage source inverters have been summarized in Refs. 1, 2, 3.

Can a low modulation index converter operate with a three-level inverter?

The goal of the presented reconstruction method was to develop the SVM method for a low modulation index converter operation when the single-shunt current measurement signal was applied to a three-level inverter.

## Voltage reconstruction in inverter

---

A different current reconstruction method was studied for two-level three-phase inverters in [7]. The authors suggested the current reconstruction strategy based on online offset compensation. This method is applied for two-level three-phase inverters, and it is also appropriate for operations with a low modulation index.

Different aspects of using the single-shunt reconstruction method for three-phase inverters were discussed in [7, 8, 9], where the authors studied the zero voltage sampling method and three-phase current reconstruction using three shunts placed in the collectors of bottom inverter transistors, respectively.

The three-level inverter operation with a modulation index less than 0.2 is achievable, and single-shunt current reconstruction is possible to perform. The proposed method can be used as part of a hybrid solution, together with the SVM shift method. As a disadvantage, due to the asymmetric SVM pattern, the current ripple increased.

Aiming at the three-phase current asymmetry caused by the neutral point voltage oscillation in inverter topology reconstruction, a transient compensation method of neutral point voltage offset for the  $\alpha$ -axis component of the reference voltage vector is introduced to suppress the adverse effects.

The fault-tolerant control of two-level three-phase voltage source inverters has been extensively studied [1, 2, 3], including two reconstruction aspects: hardware topology and software control strategy. Various fault-tolerant reconfiguration topologies of three-phase voltage source inverters have been summarized in Refs. [1, 2, 3].

The goal of the presented reconstruction method was to develop the SVM method for a low modulation index converter operation when the single-shunt current measurement

signal was applied to a three-level inverter.

Oct 25, 2013 · The phase voltage of a general 3-ph motor ( $V_{an}$ ,  $V_{bn}$ , and  $V_{cn}$ ) can be calculated from the DC-bus voltage ( $V_{dc}$ ) and three upper switching functions of inverter ( $S_1$ ,  $S_2$ , and  $S_3$ ).

This paper presents a voltage injection method for reconstructing phase currents from current signals measured on single current-shunt circuits with cost-effective and high-performance ...

The conventional current reconstruction strategies for three-level inverters require current sampling at varying instants, and employ modified PWM to compensate periodic current ...

Apr 12, 2025 · Thus, the accurate voltage reconstruction of the inverter output voltage is an important issue for the flux observation and the speed estimation of ac drive [2], [3].

Sep 18, 2025 · An Improved Voltage Reconstruction Method for Current Source Inverter  
Yupeng Wei, Yiyina Teng, Ning Wang, Senyu Du, Xiaoqiang Guo, Changchun Hua

Jul 10, 2025 · To reduce the number of sensors in the three-phase current source inverter and lower its cost and size, using a single dc-Link voltage sensor to reconstruct the three-phase ac ...

Different aspects of using the single-shunt reconstruction method for three-phase inverters were discussed in [7, 8, 9], where the authors studied the zero voltage sampling method and three ...

Apr 17, 2024 · To improve the reliability of Two-level three phase voltage source inverters, a uniform fault tolerant strategy based on space vector pulse width modulation is proposed for ...

Jul 9, 2025 · An Improved Voltage Reconstruction Method for Current Source Inverter  
IEEE Transactions on Power Electronics ( IF 6.5 ) Pub Date : 2025-07-09, DOI: ...

Aug 17, 2022 · Continuous and stable acquisition of accurate three-phase currents  
information is critical to vector control. The immeasurable areas (IAs) is the most  
intractable problem in the ...

## Contact Us

---

For catalog requests, pricing, or partnerships, please visit:  
<https://pdeozepl>